



Ingersoll Rand is a global diversified industrial firm providing products, services and solutions to transport and protect food and perishables, secure homes and commercial properties, and enhance industrial productivity and efficiency. Driven by a 100-year-old tradition of technological innovation, we enable companies and their customers to create progress.

+1 706.863.3000 www.clubcar.com www.ingersollrand.com

**Unit 1, Leasowes Business Park
Cressage Straight
Cound, Nr Shrewsbury
Shropshire
SY5 6AF**

**Tel: 01952 511000
Fax: 01952 511005
email: sales@oakleysgroundcare.co.uk**



to your senses

STREET-LEGAL, ZERO-EMISSIONS LOW-SPEED VEHICLES





SPECIFICATIONS ^[2]


Villager
LSV 2

THE VILLAGER 2 LSV ^[1] IDEAL FOR THOSE QUICK TRIPS INTO THE CITY.

The street-legal, Villager 2 LSV with an optional (storage) bed box is perfect for that everyday drive into work, or those occasional outings to the market to pick up groceries or dinner. Its low profile and powerful drivetrain makes it nimble and exhilarating to drive, while its automotive-style appointments make passengers feel comfortable and safe. Because it's a cinch to recharge and designed to be healthy for the environment, the Villager 2 LSV is a practical alternative to everyday excursions.

STANDARD FEATURES ^[2]

- 32-48 kilometer range on a single charge
- 200 kg vehicle load capacity
- Impact-resistant body with UV protective coating
- Rustproof, aircraft-grade aluminum chassis
- Stout independent front suspension with double coil-over shocks
- 2-passenger canopy
- 3-point front seat belts
- Automotive glass windshield with wiper
- Automotive lighting package including headlights, taillights, turn signals, and horn
- Driver and passenger side mirrors
- Dual beverage/radio holders
- Two-year limited warranty (including parts & labor)



Horsepower	5.1 hp continuous, 14 hp intermittent
Electrical System	48-volt DC, reduced speed reverse
Batteries	(6) 8-volt
Charger	48-volt variable
Steering	Self-compensating double reduction helical rack & pinion
Front/Rear Suspension	Independent leaf spring w/dual hydraulic shocks
Brakes	Self-adjusting, rear wheel mechanical drum
Park Brake	Hand-operated
Frame/Chassis	Corrosion-resistant, aircraft aluminum chassis
Front Body and Finish	ABS
Rear Body and Finish	Impact-resistant Armorflex [®]
Tires	18.5 x 8.50-8
Instrumentation	Speedometer, Battery warning light
L x W x H	232 x 120 x 175.3 cm
Wheelbase	170.9 cm
Ground Clearance	11.4 cm
Tread – Front & Rear	87.6 cm/97.8 cm
Weight (without batteries)	336.6 kg
Weight (with batteries)	512.1 kg
Vehicle Capacity (excludes driver)	200 kg
Forward Speed	35.4-38.6 kph
Outside Clearance Circle	5.9 m
Turning Radius	2.6 m
Vehicle Warranty ^[3]	2-year limited vehicle/4-year battery

[1] LSV vehicle photo is shown with optional accessories.

[2] Pre-production specifications are shown here. Actual dimensions and specifications are subject to change.

[3] There are no warranties, expressed or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, Inc. The company reserves the right to make design changes without obligation to make these changes on units or systems previously sold.



Club Car®

SPECIFICATIONS ^[2]

Villager
LSV 2+2

THE VILLAGER 2+2 LSV ^[1]

THE FAMILY WAGON OR FOR THOSE THAT CARPOOL.

The 4-passenger Villager 2+2 LSV delivers an eco-friendly, fun experience for friends and family. It's well suited taking the family to the mall or picking up college friends for a game of soccer. It comes standard with many safety features like automotive safety glass, windshield wiper and seatbelts for all occupants — useful when traveling roads during inclement weather. With an average of 40 km between charges, take the Villager 2+2 LSV for all those short jaunts and eliminate the need for fuel all together.

STANDARD FEATURES ^[2]

- 32-48 kilometer range on a single charge
- 200 kg vehicle load capacity
- Impact-resistant body with UV protective coating
- Rustproof, aircraft-grade aluminum chassis
- Stout independent front suspension with double coil-over shocks
- 2-passenger canopy
- 3-point front and rear lap seat belts
- Automotive glass windshield with wiper
- Automotive lighting package including headlights, taillights, turn signals, and horn
- Driver and passenger side mirrors
- Dual beverage/radio holders
- Two-year limited warranty (including parts & labor)

Horsepower	5.1 hp continuous, 14 hp intermittent
Electrical System	48-volt DC, reduced speed reverse
Batteries	(6) 8-volt
Charger	48-volt variable
Steering	Self-compensating double reduction helical rack & pinion
Front/Rear Suspension	Independent leaf spring w/dual hydraulic shocks
Brakes	Self-adjusting, rear wheel mechanical drum
Park Brake	Hand-operated
Frame/Chassis	Corrosion-resistant, aircraft aluminum chassis
Front Body and Finish	ABS
Rear Body and Finish	Impact-resistant Armorflex®
Tires	18.5 x 8.50-8
Instrumentation	Speedometer, Battery warning light
L x W x H	279.7 x 129.0 x 126.5 cm
Wheelbase	170.9 cm
Ground Clearance	11.4 cm
Tread – Front & Rear	87.6 cm/97.8 cm
Weight (without batteries)	336.6 kg
Weight (with batteries)	512.1 kg
Vehicle Capacity (excludes driver)	200 kg
Forward Speed	35.4-38.6 kph
Outside Clearance Circle	5.9 m
Turning Radius	2.6 m
Vehicle Warranty ^[4]	2-year limited vehicle/4-year battery

[1] LSV vehicle photo is shown with optional accessories.

[2] Pre-production specifications are shown here. Actual dimensions and specifications are subject to change.

[3] There are no warranties, expressed or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, Inc. The company reserves the right to make design changes without obligation to make these changes on units or systems previously sold.



Club Car®

SPECIFICATIONS [2]

CARRYALL 2 

THE CARRYALL 2 LSV [1] IT WORKS AS HARD AS A FULL SIZE TRUCK.

The street-legal, Carryall 2 LSV is well-suited for cities with narrow roads or campus-like environments such as municipalities, hospitals, universities, business complexes and gated communities. It securely carries two passengers and 250 kg in its bed. It's all aluminum chassis is corrosion resistant and its zero-emissions electric system pulls like a train. It's the perfect solution for those who need a vehicle that can easily navigate into tight spaces and alleys where full-size vehicles can't.

STANDARD FEATURES [2]

- 32-48 kilometer range on a single charge
- 40.2 kph top speed and 24.1 kph low speed when equipped with optional Smart Key™
- Three point safety belts
- Exterior safety features include safety glass windshield with wiper blade, headlights, taillights, brake lights, turn signals, horn, exterior mirrors and rear reflectors
- 430.9 kg total vehicle capacity
- 4-wheel hydraulic brakes with front and rear drums
- Smooth, independent front and semi-independent rear suspension
- Self-adjusting rack & pinion steering
- EU-approved License Plate Holders

Horsepower	4.0 hp continuous, 14 hp intermittent
Electrical System	48-volt DC, reduced speed reverse
Batteries	(8) 6-volt
Charger	48-volt variable
Controller	400 amp solid state (AC)
Steering	Self-compensating double reduction helical rack & pinion
Front/Rear Suspension	Independent leaf spring w/dual hydraulic shocks
Brakes	Front and rear 4-wheel hydraulic drum
Park Brake	Hand operated
Frame/Chassis	Corrosion-resistant, aircraft aluminum chassis
Front Body and Finish	Impact-resistant ArmorFlex® with matching paint over molded-in color
Rear Body and Finish	All aluminum
Tires	18 x 8.50-8
Instrumentation	Battery warning light
Vehicle Dimensions	281.9 cm x 127.0 cm x 174.0 cm
Bed Dimensions	119.1 x 122.7 cm
Vehicle Capacity	430.9 kg
Bed Load Capacity	249.5 kg
Wheelbase	196.9 cm
Ground Clearance	11.4 cm
Tread – Front & Rear	87.6/97.8 cm
Weight (without batteries)	412.3 kg
Weight (with batteries)	587.8 kg
Forward Speed	24.1-40.2 kph
Outside Clearance Circle	6.2 m
Turning Radius	3.0 m
Vehicle Warranty [4]	2-year limited vehicle/4-year battery

[1] LSV vehicle photo is shown with optional accessories.

[2] Pre-production specifications are shown here. Actual dimensions and specifications are subject to change.

[3] There are no warranties, expressed or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, Inc. The company reserves the right to make design changes without obligation to make these changes on units or systems previously sold.



Club Car®

SPECIFICATIONS ^[2]

CARRYALL 6

THE CARRYALL 6 LSV ^[1] A FULL SIZE BED ON A STREET-LEGAL, UTILITY VEHICLE.

The Carryall 6 LSV is the largest utility vehicle in Club Car's street-legal lineup. With a 1.7 meter long bed that can carry more than 385 kg, the Carryall 6 LSV is long enough and strong enough to carry almost anything. It is as reliable as most medium-duty trucks, but is able to venture into tight spaces where full-size trucks can't go. It is ideally suited for cities with narrow roads or campus-like environments such as municipalities, hospitals, universities, business complexes and gated communities.

STANDARD FEATURES ^[2]

- 32-48 kilometer range on a single charge
- 40.2 kph top speed and 24.1 kph low speed when equipped with optional Smart Key™
- Three point safety belts
- Exterior safety features include safety glass windshield with wiper blade, headlights, taillights, brake lights, turn signals, horn, exterior mirrors, and rear reflectors
- 567.0 kg total vehicle capacity
- 1.72 meter bed length
- 4-wheel hydraulic brakes with front and rear drums
- Smooth, independent front and semi-independent rear suspension
- Self-adjusting rack & pinion steering
- EU-approved License Plate Holders

Horsepower	4.0 hp continuous, 14 hp intermittent
Electrical System	48-volt DC, reduced speed reverse
Batteries	(8) 6-volt
Charger	48-volt variable
Controller	400 amp solid state (AC)
Steering	Self-compensating double reduction helical rack & pinion
Front/Rear Suspension	Independent leaf spring w/dual hydraulic shocks
Brakes	Front and rear 4-wheel hydraulic drum
Park Brake	Hand operated
Frame/Chassis	Corrosion-resistant, aircraft aluminum chassis
Front Body and Finish	Impact-resistant ArmorFlex® with matching paint over molded-in color
Rear Body and Finish	All aluminum
Tires	18 x 8.50-8
Instrumentation	Battery warning light
Vehicle Dimensions	340.4 cm x 127.0 cm x 174.0 cm
Bed Dimensions	171.8 x 112.2 cm
Vehicle Capacity	567.0 kg
Bed Load Capacity	385.6 kg
Wheelbase	250.2 cm
Ground Clearance	11.4 cm
Tread – Front & Rear	87.6 cm/97.8 cm
Weight (without batteries)	441.8 kg
Weight (with batteries)	617.3 kg
Forward Speed	24.1-40.2 kph
Outside Clearance Circle	8.0 m
Turning Radius	3.8 m
Vehicle Warranty ^[4]	2-year limited vehicle/4-year battery

[1] LSV vehicle photo is shown with optional accessories.

[2] Pre-production specifications are shown here. Actual dimensions and specifications are subject to change.

[3] There are no warranties, expressed or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, Inc. The company reserves the right to make design changes without obligation to make these changes on units or systems previously sold.

Club Car



AVAILABLE^[4] OPTIONS & ACCESSORIES



Villager Colors

Standard: White | Beige | Black

Non-Standard: Red | Classic Blue

Premium Metallic: Diamond White Pearl | Titanium Silver | Desert Sand



Carryall Colors

Standard: Dark Gray

Non-standard: Beige | Gray | Green | White | Classic Blue | Red | Black | Burgundy

	LSV 2	LSV 2+2	CARRYALL 2	CARRYALL 6
CAB				
Rops Cab			✓	✓
Cab Rear Glass			✓	✓
Cab Doors			✓	✓
Heater/Defroster			✓	✓
GAUGES/ELECTRONICS				
Differential Guard	✓	✓	✓	✓
Unique Key Switch	✓	✓		
Hour Meter	✓	✓	✓	✓
Battery Capacity Indicator	✓	✓	✓	✓
Accessory Plug	✓	✓	✓	✓
Cartkey Vehicle Security	✓	✓		
PREMIUM				
10-in Alloy Wheels (205/50R-10)	✓	✓		
Custom Dash with Wood Accents	✓	✓		
Beige/Oyster 2-Tone Sport Seats	✓	✓		
Extended Length Canopy	✓	✓		
Wheel Covers	✓	✓	✓	✓
UTILITY				
Custom Van Box			✓	✓
Industrial Van Box			✓	✓
Stake-Side Kit			✓	✓
Electric Bed Lift			✓	✓
Heavy-Duty Batteries			✓	✓
Single Point Watering System	✓	✓	✓	✓
Tool Box			✓	✓
Rear Receiver Hitch			✓	✓
Trailer Hitch			✓	✓

[4] Availability of LSV options and accessories are subject to change.